

# EU Type Examination Certificate

This is to certify that:

Handan Hengyong Protective & Clean  
Products Co Ltd  
C-1-901, 9 Yuhua West Road  
Shijiazhuang  
Hebei  
050000  
China

Holds Certificate Number:

CE 690991

In respect of:

**Filtering Masks To EN 149:2001 + A1:2009  
Various Models**


on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified  
Body for the above Regulation  
(Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2019-04-15

Latest Issue: 2019-09-12



Drs. Dave Hagenaaers, Managing Director

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 1 of 13



...making excellence a habit.™

# EU Type Examination Certificate

No. CE 690991

## Product Specification

### Half masks HY8200 Range without clogging

**Description:** Vertical fold flat disposable face mask

**Technical specification:** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR

**FFP Class:** FFP1

**Models:**  
HY 8210  
HY 8212 (mask with exhalation valve fitted)  
HY 8214 (masks with activated charcoal)  
HY 8216 (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** FFP2

**Models:**  
HY 8220  
HY 8222 (mask with exhalation valve fitted)  
HY 8224 (masks with activated charcoal)  
HY 8226 (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** FFP3

**Model:** HY 8232 (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 2 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Half masks HY8200 Range with clogging

**Description:** **Vertical fold flat disposable face mask**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR D

**FFP Class:** **FFP1D**

**Models:**  
**HY 8210**  
**HY 8212** (mask with exhalation valve fitted)  
**HY 8214** (masks with activated charcoal)  
**HY 8216** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP2D**

**Models:**  
**HY 8220**  
**HY 8222** (mask with exhalation valve fitted)  
**HY 8224** (masks with activated charcoal)  
**HY 8226** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3D**

**Model:** **HY 8232** (mask with exhalation valve fitted)

First Issued: 2019-04-15  
Latest Issue: 2019-09-12

Effective Date: 2019-09-12  
Expiry Date: 2024-04-15

Page: 3 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Half masks HY8600 Range without clogging

**Description:** Conical disposable face mask

**Technical specification:** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR

**FFP Class:** FFP1

**Models:**  
HY 8610  
HY 8612 (mask with exhalation valve fitted)  
HY 8614 (mask with activated charcoal)  
HY 8616 (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** FFP2

**Models:**  
HY 8620  
HY 8622 (mask with exhalation valve fitted)  
HY 8626 (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** FFP3

**Model:** HY 8632 (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 4 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Half masks HY8600 Range with clogging

**Description:** Conical disposable face mask

**Technical specification:** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR D

**FFP Class:** FFP1D

**Models:**  
HY 8610  
HY 8612 (mask with exhalation valve fitted)  
HY 8614 (mask with activated charcoal)  
HY 8616 (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** FFP2D

**Models:**  
HY 8620  
HY 8622 (mask with exhalation valve fitted)  
HY 8626 (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** FFP3D

**Model:** HY 8632 (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 5 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Half masks HY8900 Range without clogging

**Description:** **Horizontal fold flat disposable face mask**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR

**FFP Class:** **FFP1**

**Models:**  
**HY 8910**  
**HY 8912** (mask with exhalation valve fitted)  
**HY 8914** (mask with activated charcoal)  
**HY 8916** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP2**

**Models:**  
**HY 8920**  
**HY 8922** (mask with exhalation valve fitted)  
**HY 8924** (mask with activated charcoal)  
**HY 8926** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3**

**Model:** **HY 8932** (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 6 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Half masks HY8900 Range with clogging

**Description:** **Horizontal fold flat disposable face mask**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR D

**FFP Class:** **FFP1D**

**Models:**  
**HY 8910**  
**HY 8912** (mask with exhalation valve fitted)  
**HY 8914** (mask with activated charcoal)  
**HY 8916** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP2D**

**Models:**  
**HY 8920**  
**HY 8922** (mask with exhalation valve fitted)  
**HY 8924** (mask with activated charcoal)  
**HY 8926** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3D**

**Model:** **HY 8932** (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 7 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Larger Conical HY9600 Range with clogging

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR D

**FFP Class:** **FFP1D**

**Models:**  
**HY 9610**  
**HY 9612** (mask with exhalation valve fitted)  
**HY 9614** (mask with activated charcoal)  
**HY 9616** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP2D**

**Models:**  
**HY 9620**  
**HY 9622** (mask with exhalation valve fitted)  
**HY 9626** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3D**

**Models:**  
**HY 9630**  
**HY 9632** (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 8 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Cymbiform Foldable HY9300 Range with clogging

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR D

**FFP Class** **FFP1D**

**Models:** **HY 9310**  
**HY 9312** (mask with exhalation valve fitted)  
**HY 9316** (mask with activated charcoal and exhalation valve fitted)

**FFP Class** **FFP2D**

**Models:** **HY 9320**  
**HY 9322** (mask with exhalation valve fitted)  
**HY 9326** (mask with activated charcoal and exhalation valve fitted)

**FFP Class** **FFP3D**

**Models:** **HY 9330**  
**HY 9332** (mask with exhalation valve fitted)  
**HY 9336** (mask with activated charcoal and exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 9 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Larger Conical HY9900 Range with PE mesh cover with clogging

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Single shift NR D

**FFP Class:** **FFP1D**

**Models:**  
**HY 9910**  
**HY 9912** (mask with exhalation valve fitted)  
**HY 9914** (mask with activated charcoal)  
**HY 9916** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP2D**

**Models:**  
**HY 9920**  
**HY 9922** (mask with exhalation valve fitted)  
**HY 9926** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3D**

**Models:**  
**HY 9930**  
**HY 9932** (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 10 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Product Specification (continued)

### Multi-Chamber Re-Usable HY6600 Range with clogging

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Multiple shifts R D

**FFP Class:** **FFP2 R D**

**Models:** **HY 6620**  
**HY 6622** (mask with exhalation valve fitted)  
**HY 6626** (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3 R D**

**Models:** **HY 6630**  
**HY 6632** (mask with exhalation valve fitted)  
**HY 6636** (mask with activated charcoal and exhalation valve fitted)

### Conical Re-Usable HY6600 Range with clogging

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.

Classification – Multiple shifts R D

**FFP Class:** **FFP3 R D**

**Models:** **HY 8632** (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 11 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Certificate Administration Details

Technical File Reference: Handan Hengyong Protective & Clean Products Technical File.


## Certificate Amendment Record

Issue date	Comments	BSI Internal Project No.
April 2019	First issue to PPE Regulation 2016/425. Products previously certified to PPE Directive 89/686 by BSI on certificate CE 70730	0086:19:8910072

**Note:** The Certificate holder is responsible for keeping the Notified Body advised of changes to any aspect of the overall process used in the manufacture of the product.

## Monitoring of manufactured PPE.

The EC Quality of Production by Monitoring requirements, Article 11B for the product are referenced in BSI Certificate number CE 79995.



First Issued: 2019-04-15  
Latest Issue: 2019-09-12

Effective Date: 2019-09-12  
Expiry Date: 2024-04-15

Page: 12 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 690991

## Location

Handan Hengyong Protective & Clean  
Products Co Ltd  
C-1-901, 9 Yuhua West Road  
Shijiazhuang  
Hebei  
050000  
China

## Certified Activities

Filtering Masks To EN 149:2001 + A1:2009  
Various Models



First Issued: 2019-04-15

Latest Issue: 2019-09-12

Effective Date: 2019-09-12

Expiry Date: 2024-04-15

Page: 13 of 13

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.